

1. Feldman H och Gracon S. I: Gauthier S, ed. *Clinical Diagnosis and Management of Alzheimer's Disease*. Martin Dunitz: London; 1996:239-259.
2. Welsh KA, et al. A detection and staging of dementia in Alzheimer's disease. Use of neuropsychological measure developed for the Consortium to Establish a Registry for Alzheimer's disease. *Arch Neurol*. 1992;49:448-452.
3. Galasko D. An integrated approach to the management of Alzheimer's disease: assessing cognition, function and behaviour. *Eur J Neurol*. 1998;5(suppl 4):S9-17.
5. Sarazin M, et al. Neuropsychological predictors of dependency in patients with Alzheimer's disease. *Neurology*. 2005;64:1027-31.
6. Amieva H, et al. Prodromal Alzheimer's disease: progressive emergence of the clinical symptoms. *Ann Neurol*. 2008;64:492-8.
7. Terry RD. Alzheimer's disease and the aging brain. *J Geriatr Psychiatry Neurol*. 2006;19:125-128.
8. Scheff SW, et al. Hippocampal synaptic loss in early Alzheimer's disease and mild cognitive impairment. *Neurobiol Aging*. 2006;27:1372-1384.
9. Sperling RA, et al. Toward defining the preclinical stages of Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimers Dement*. 2011;7:280-292.
10. Terry RD, et al. Physical basis of cognitive alterations in Alzheimer's disease: Synapse loss is the major correlate of cognitive impairment. *Ann Neurol* 1991;30:572-580.
11. Kamphuis PJ och Scheltens P. Can nutrients prevent or delay onset of Alzheimer's disease? *J Alzheimers Dis*. 2010;20:765-775.
12. Glasø M, et al. Reduced concentrations of several vitamins in normal weight patients with late-onset dementia of the Alzheimer type without vascular disease. *J Nutr Health Aging* 2004;8:407-413.
13. Köseoglu E och Karaman Y. Relations between homocysteine, folate and vitamin B12 in vascular dementia and in Alzheimer disease. *Clin Biochem*. 2007;40:859-863.
14. Polidori MC, et al. Plasma antioxidant status, immunoglobulin g oxidation and lipid peroxidation in demented patients: relevance to Alzheimer disease and vascular dementia. *Dement Geriatr Cogn Disord*. 2004;18:265-270.
15. Conquer JA, et al. Fatty acid analysis of blood plasma of patients with Alzheimer's disease, other types of dementia, and cognitive impairment. *Lipids*. 2000;35:1305-1312.
16. Ravaglia G, et al. Plasma amino acid concentrations in patients with amnesic mild cognitive impairment or Alzheimer disease. *Am J Clin Nutr*. 2004;80:483-488.
17. Corrigan FM, et al. Tin and fatty acids in dementia. *Prostaglandins Leukot Essent Fatty Acids*. 1991;43:229-238.
18. Corrigan FM, et al. Abnormal content of n-6 and n-3 long-chain unsaturated fatty acids in the phosphoglycerides and cholesterol esters of parahippocampal cortex from Alzheimer's disease patients and its relationship to acetyl CoA content. *Int J Biochem Cell Biol*. 1998;30:197-207.

19. Sijben JWC, et al. A multi nutrient concept to enhance synapse formation and function: science behind a medical food for Alzheimer's disease. *OCL* . 2011;18:267-270.
20. Sijben JWC, et al. Nutritional intervention with Fortasyn Connect: beneficial effects in experimental models of Alzheimer's pathology and functional decline. *EFNS* 2012.P1019
21. Astarita G, et al. Deficient liver biosynthesis of docosahexaenoic acid correlates with cognitive impairment in Alzheimer's disease. *PLoS One*. 2010;5:e12538.
22. Lopes Da Silva S, et al. Plasma nutrient status of Alzheimer's disease patients compared to cognitive intact elderly controls: A systematic review and metaanalysis. *European Geriatric Medicine*. 2012;3:85.
23. Goodenowe DB, et al. Peripheral ethanolamine plasmalogen deficiency: a logical causative factor in Alzheimer's disease and dementia. *J Lipid Res*. 2007;48:2485-498.
24. Van Dam F och Van Gool WA. Hyperhomocysteinemia and Alzheimer's disease: A systematic review. *Arch Gerontol Geriatr*. 2009;48:425-430.
25. Yi JJ och Ehlers MD. Ubiquitin and protein turnover in synapse function. *Neuron*. 2005;47:629-632.
26. Kennedy EP och Weiss SB. The function of cytidine coenzymes in the biosynthesis of phospholipides. *J Biol Chem*. 1956;222:193-214.
27. Wurtman RJ, et al. Synaptic proteins and phospholipids are increased in gerbil brain by administering uridine plus docosahexaenoic acid orally. *Brain Res*. 2006;1088:83-92.
28. Cansev M, et al. Restorative effects of uridine plus docosahexaenoic acid in a rat model of Parkinson's disease. *Neurosci Res*. 2008;62:206-209.
29. Sakamoto T, et al. Oral supplementation with docosahexaenoic acid and uridine-5'-monophosphate increases dendritic spine density in adult gerbil hippocampus. *Brain Res*. 2007;1182:50-59.
30. Holguin S, et al. Chronic administration of DHA and UMP improves the impaired memory of environmentally impoverished rats. *Behav Brain Res*. 2008;191:11-16.
31. Holguin S, et al. Dietary uridine enhances the improvement in learning and memory produced by administering DHA to gerbils. *FASEB J*. 2008;22:3938-3946.
32. Cansev M, et al. Giving uridine and/or docosahexaenoic acid orally to rat dams during gestation and nursing increases synaptic elements in brains of weanling pups. *Dev Neurosci*. 2009;31:181-192.
33. Cansev M och Wurtman RJ. Chronic administration of docosahexaenoic acid or eicosapentaenoic acid, but not arachidonic acid, alone or in combination with uridine, increases brain phosphatide and synaptic protein levels in gerbils. *Neuroscience*. 2007;148:421-431.
34. Wang L, et al. Dietary supplementation with uridine-5'-monophosphate (UMP), a membrane phosphatide precursor, increases acetylcholine level and release in striatum of aged rat. *Brain Res*. 2007;1133:42-48.
35. Richardson UI, et al. Stimulation of CDP-choline synthesis by uridine or cytidine in PC12 rat pheochromocytoma cells. *Brain Res*. 2003;971:161-167.

36. Richardson UI och Wurtman RJ. Polyunsaturated fatty acids stimulate phosphatidylcholine synthesis in PC12 cells. *Biochim Biophys Acta*. 2007;1771:558-563.
37. van Wijk N, et al. Plasma choline concentration varies with different dietary levels of vitamins B6, B12 and folic acid in rats maintained on choline-adequate diets. *Br J Nutr*. 2012;107:1408-12.
38. Pooler AM, et al. Uridine enhances neurite outgrowth in nerve growth factordifferentiated PC12. *Neuroscience*. 2005;134:207-214.
39. Scheltens P, et al. Efficacy of a medical food in mild Alzheimer's disease: A randomized, controlled trial. *Alzheimers Dement*. 2010;6:1-10.e1.
40. Scheltens P, et al. Efficacy of Souvenaid in mild Alzheimer's disease: results from a randomized, controlled trial. *J Alzheimer's Dis*. 2012;31:225–236.